

# SAF-T-LOK

International Corporation

Material Safety Data Sheet

STRUCTURAL ADHESIVE SA-26

Issue Date: 10/19/17

## SECTION I - PRODUCT AND COMPANY INFORMATION

Product Name: SA-24 ADHESIVE  
Product Type: STRUCTURAL ADHESIVE  
Part Numbers: **30731, 30743, 30751, 308-3506**  
Hazard Rating: Health: 1 Fire: 1 Reactivity: 1

Company Identification: SAF-T-LOK International Corporation  
300 EISENHOWER LANE NORTH  
LOMBARD, IL 60148

Contact: Chris Michaels  
Telephone/ Fax: (630) 495-2001  
Emergency Phone (24 Hour): (703) 527-3887  
Chemtrec (24 Hour): (800) 424-9300, (703) 527-3887  
Preparer: Ind. Hygiene Department  
Internet: www.saftlok.com

Product Class: Mixture  
DOT Hazard Class: N/A  
Shipping Name: Unrestricted

## SECTION II - INGREDIENT AND HAZARD INFORMATION

Components	CAS Number	Percent
Acrylate ester	5888-33-5	10-25
Peroxybenzoate	614-45-9	<1
Hydroxyethyl methacrylate	868-77-9	50-60
Urethane acrylate	Proprietary	5-15
Polyvinyl Butyral	64148-65-2	10-20

## SECTION III - HAZARD IDENTIFICATION AND EMERGENCY OVERVIEW

### EMERGENCY OVERVIEW

Physical appearance:	Viscous Liquid	<u>HMIS</u>	
Physical color:	Amber	Health:	1
Odor:	Mild / Inoffensive	Flammability:	1
		Reactivity:	1
		Personal Protection:	B

**WARNING;** MAY CAUSE: EYE IRRITATION  
SKIN IRRITATION  
RESPIRATORY TRACT IRRITATION  
MAY IRRITATE EXISTING ALLERGIC SKIN CONDITIONS

Relative routes of entry: Skin, Inhalation, Eyes, Ingestion

Skin Contact: Usually no effect, however, as with any chemical, prolonged, excessive, or repeated exposure may cause mild to moderate skin irritation, exhibited by redness, drying and cracking of unprotected skin.

Eye Contact: May irritate with slight pain and redness.

Respiratory/ Inhalation: Usually none, however, as with any chemical product, some irritation may occur. High levels of acrylic acid vapors may cause nose and throat irritation.

Ingestion: Amounts transferred to mouth by fingers, etc, during normal operation should not cause injury.

Medical conditions generally aggravated by exposure: None known, however any chemical product may enhance allergies already present in certain individuals.

#### **SECTION IV – FIRST AID INSTRUCTIONS**

Skin Contact: Remove contaminated clothing. Wash affected area with soap and rinse with plenty of water. Get medical attention if symptoms occur. Wash clothing before reuse.

Eye Contact: Flush with water for at least 15 minutes holding eyelid open. Get medical attention if symptoms persist.

Respiratory / Inhalation: Remove to fresh air, if symptoms develop get medical attention.

Ingestion: Do not induce vomiting. Obtain medical attention if symptoms develop.

#### **SECTION V – FIRE FIGHTING INSTRUCTIONS**

Flash Point:	200°F (C.O.C.)
Unusual Fire and Explosion Hazards:	Toxic fumes (oxides of carbon and nitrogen) may be evolved upon exposure to heat or open flame.
Flammable Limits:	LEL: N/A, UEL: N/A
Extinguishing Media:	Carbon Dioxide, Foam, Dry Chemicals
Fire Fighting Procedures:	Air mask and procedures for fighting chemical fires. Do not inhale gases.

#### **SECTION VI -ACCIDENTAL RELEASE MEASURES**

Special Precautions: None known. Follow general precautions shown below.

Environmental precautions: Prevent material from entering floor drains, sewers, or any bodies of water.

Clean up methods: Wipe to prevent spreading. Absorb with vermiculite or other inert absorbing material. Put in closed container. Dispose of material according to regulations.

#### **SECTION VII - HANDLING AND STORAGE**

Handling: Store in a cool (50-80°F) area. Temperatures over 120°F should be avoided for maximum shelf life. Avoid contact with eyes, skin, and clothing. Avoid breathing vapors. Wash hands thoroughly at mealtime and end of shift.

Storage: Isolated storage facility/ warehouse not required. Store in a cool, dry location (50-80°F) in a well-ventilated area in original container. Keep container tightly closed when not in use.

Personal Protection: Wear personal protective equipment as outlined in Section VIII of this MSDS.

### **SECTION VIII – EXPOSURE CONTROLS AND PERSONAL PROTECTION**

Respiratory Protection: No respiratory protection required, but normal good ventilation is recommended.

Skin Protection: Not required, but if desired, use impermeable gloves (neoprene, butyl rubber, natural rubber), as necessary to avoid skin contact, as well as proper clothing or plastic apron. Wash hands before eating, drinking, or using restroom.

Eye Protection: Not required if application method is proper. Avoid contact with eyes.

Eye Washes: Eye wash stations should be located within 100 feet or 10 second walk of the work area.

### **SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

Physical state: Viscous Liquid  
Color: Amber  
Odor: Mild/ Inoffensive  
Boiling Point: N/A  
Melting Point: N/A  
Flash Point: 200°F  
Self-inflammability: Is not self-igniting  
Explosion danger: Not explosive  
Specific Gravity: 1.06  
Vapor Density (Air = 1): N/A  
Vapor Pressure (mm Hg.): < 6 @30°F  
pH: Not determined  
Evaporation Rate: Not determined  
Solubility in Water: Insoluble  
VOC (Organic solvents) N/D

### **SECTION X –STABILITY AND REACTIVITY**

Stability: No decomposition if used according to specifications.  
Hazardous Polymerization: May occur at temperatures above 120°F.  
Hazardous decomposition byproducts: Smoke and irritant fumes may be evolved as a result of uncontrolled exothermic reactions.  
Conditions to avoid: Strong oxidizing agents

### **SECTION XI – TOXICOLOGICAL INFORMATION**

No harmful effects have been determined if product is used and handled according to specifications.

Vapors from this product are classified as an Irritant.

Sensitization	None known
Eye Irritant	Yes
Skin Irritant	Yes
Carcinogen	No

#### **SECTION XII – ECOLOGICAL DATA**

Water Hazard: Do not allow entry into drains or surface water

#### **SECTION XIII – DISPOSAL CONSIDERATIONS**

Recommended method of disposal: Dispose of as chemical waste in accordance with Local, State, and Federal Regulations.

EPA Hazardous Waste Number; Not an RCRA hazardous waste.

#### **SECTION XIV – SHIPPING AND TRANSPORTATION INFORMATION**

U.S. Department of Transportation Ground (49 CFR)  
Proper Shipping Name: Unrestricted  
Hazard Class or Division: None  
Identification Number: None  
Packing Group: None

International Air Transportation (OCAO/IATA):  
Proper Shipping Name: Unrestricted  
Hazard Class or Division: None  
Identification Number: None  
Packing Group: None

Water Transportation (IMO/IMDG):  
Proper Shipping Name: Unrestricted  
Hazard Class or Division: None  
Identification Number: None  
Packing Group: None  
Marine Pollutant: No

#### **SECTION XV – REGULATORY INFORMATION**

##### United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

##### Canada Regulatory Information

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Domestic Substances List.

Designation according to EC Guidelines Observe normal safety regulations when handling chemicals.

#### **SECTION XVI – OTHER INFORMATION**

Revision date 10/19/2017  
By: Human Resource Department

DISCLAIMER: The information on this material safety data sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this data sheet or which involves using the product in combination with any other product or any other process is the responsibility of the user. SAF-T-LOK International Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of SAF-T-LOK International Corporation products.